CLAIMS

| W | e/ | 'cl | air | n: |
|---|----|-----|-----|----|

A multimedia system, comprising:

a bulk decoder coupled to a network, the bulk decoder decoding data received from the network and transmitting the decoded data to an interconnect; and an output device coupled to the interconnect for accepting the decoded data.

- 2. The system of claim 1, wherein the bulk decoder comprises:
 - a central processor;
 - a demultiplexer coupled to the central processor;
 - at least one decoder coupled to the demultiplexer; and
 - a multiplexer coupled to the at least one decoder.
- 3. The system of claim 2, further comprising a processor coupled between the network and the interconnect for converting data in various data formats into data represented by one protocol.
 - 4. The system of claim 1, wherein the output device comprises a desktop unit.
 - 5. The system of claim 1, wherein the output device comprises a storage.
- 6. The system of claim 1, further comprising a plurality of bulk decoders coupled to the network and the interconnect.
 - 7. A network system, comprising:
 - a server coupled to a network;
 - a bulk decoder coupled to the network, the bulk decoder receiving signal from the network, the bulk decoder being controlled by the server; and
 - at least one device coupled to the bulk decoder for accepting decoded signal

5

10

30

25

from the decoder.

| 8. | The network system of claim 7, wherein the bulk decoder comprises | | | |
|----|---|--|--|--|
| | a processor; and | | | |
| | at least one decoder for decoding the signal. | | | |

- 9. The network system of claim 8, further comprising:
- a demultiplexer coupled to the processor and the at least one decoder for demultiplexing the signal; and
- a multiplexer coupled to the processor and the at least one decoder for multiplexing the decoded signal.
- 10. The network system of claim 7, further comprising a plurality of bulk decoders coupled to the network.
- 11. A bulk decoder for decoding signals received from a network and distributing decoded signals to corresponding output devices through an interconnect, comprising:
 - a central processor;
 - a demultiplexer coupled to the central processor;
 - a multiplexer coupled to the central processor; and
 - at least one decoder coupled to the demultiplexer and the multiplexer.
- 12. The bulk decoder of claim 11, further comprising a processor for converting signals in various data formats into data represented by a single protocol.
- 13. The bulk decoder of claim 12, wherein the processor comprises a video processor.
- 14. The bulk decoder of claim 12, wherein the processor comprises an audio processor.

25

30

5

10

DOCKET: P4822

1/5

5

- A method for sharing decoding resources in a network system, comprising: transmitting a signal to a network; decoding the signal using a bulk decoder coupled to the network; and transmitting decoded data to an interconnect.
- 16. The method of claim 15, further comprising controlling the bulk decoder using a server coupled to the network.
- 17. The method of claim 16, wherein the signal comprises intermixed data signals, the decoding comprises:

demultiplexing the signal to obtain individual data signals; decoding the individual data signals; and multiplexing the decoded individual data signals.

- 18. The method of claim 17, further comprising transmitting the multiplexed decoded individual data signals to corresponding output devices coupled to the interconnect.
- 19. The method of claim 17, further comprising representing the decoded individual data signals by one protocol.
- 20. The method of claim 15, further comprising adjusting the number of bulk decoders coupled to the network in accordance with a system load.

25

L L